

Provision date: March 31, 1993  
Revision date: April 01, 2019

## SAFETY DATA SHEET

---

### 1. Product and Company Information

Material name: KANEVINYL PASTE PCH-843

Manufacturer: KANEKA CORPORATION  
Address: 2-3-18, Nakanoshima, Kita-ku, Osaka, Japan  
Department in charge: Technology Team,  
R&B Technology Group,  
Vinyls and Chlor-Alkali Solutions Vehicle

Person in charge: Head of R&B Technology Group  
Phone number: +81-6-6226-5356  
Fax number: +81-6-6226-5345

Emergency access: KANEKA CORPORATION  
Paste Team (Tokyo)  
Phone number: +81-3-5574-8021

Reference Number: PC-04E

---

### 2. Hazards Identification

Physicochemical effects: Not Available  
Health effects:  
- Skin sensitization Not classified according to GHS  
- Carcinogenicity Not classified according to GHS  
Environmental effects: Not Available

---

### 3. Composition / Information on Ingredients

Distinction of single / mixed material: Single material  
Chemical name: Vinyl chloride - Vinyl acetate copolymer  
General name: Polyvinyl chloride resin (PVC resin)  
Chemical formula and content:  $(\text{CH}_2\text{-CHCl})_n\text{-}(\text{CH}_2\text{-CHOAc})_m$ , 99 % or more  
Vinyl acetate = 0.1~0.3% (Residual monomer)

Serial no. of government gazette in Japan:  
Vinyl chloride • vinyl acetate copolymer = 6-76 (A)  
Vinyl acetate = 2-728 (A • B)

CAS number: Vinyl chloride • vinyl acetate copolymer = 9003-22-9  
Vinyl acetate = 108-05-4

- (A) The Law concerning Examination and Regulation of Manufacture, etc. of Chemical Substances  
(B) Industrial Safety and Health Law
- 

#### 4. First Aid Measure

Inhalation:	If inhaled abundantly, consult a physician.
Skin Contact:	Rinse with water.
Eye Contact:	Do not rub the eyes. Rinse with water for at least 15 minutes, and consult a physician.
Ingestion:	If ingested abundantly, consult a physician.

---

#### 5. Fire Fighting Measures

Fire Fighting Instruction:	Extinguisher must use air breathing apparatus.
Extinguishing Agent:	Water, dry chemical extinguishing agents or foam extinguishing agents.
Others:	Irritant gas is emitted when burnt. Major component of gas : HCl, CO and CO <sub>2</sub> .

---

#### 6. Accidental Release Measures

Collect the diffused in empty containers with protective gears.

---

#### 7. Handling and Storage

Handling:	Handle under well ventilation with protective gears. Do not expose to fire. Do not diffuse.
Storage:	Avoid exposure to direct sunlight, and store at a well ventilated, cool and dark place.

---

#### 8. Exposure Controls / Personal Protection

Concentration control: Not Applicable

Permissible concentration:

Japan Society for Occupational Health: None

ACGIH: None

Measures for facilities:

Desirable to install ventilators with dust filters where diffusion tends to occur.

Protective gears:

Use the following protective gears when necessary.

Respirators:	Dust masks in operation, and air breathing apparatus mask in case of fire.
Protective spectacles:	Dustproof spectacles.
Protective gloves:	Protective gloves.
Protective clothes:	Not required generally.

---

## 9. Physical and Chemical Properties

Appearance:	White powder
Boiling point:	Not applicable
Melting point:	Not applicable
Vapor pressure:	Not applicable
Volatility:	Not applicable
True specific gravity:	1.4 (20 degrees C)
Solubility:	Not soluble in water

---

## 10. Stability and Reactivity

Stability, Reactivity:	Stable under normal handling conditions.
Condition to avoid:	Do not expose to fire
Hazardous decomposition products:	Irritant gas(HCl) is emitted when burnt.
Ignition temperature:	391 degrees C <sup>1)</sup>
Flash ignition temperature:	454 degrees C <sup>1)</sup>
Combustibility:	Self-extinguishing resin with oxygen index of approx 45. <sup>2)</sup>
Ignitability:	Not ignitable at room temperature.
Oxidative property:	Stable at room temperature.
Dust explosiveness:	Stable in terms of dust explosiveness.

---

## 11. Toxicological Information

### Information on products

- |                      |                                 |
|----------------------|---------------------------------|
| - Skin sensitization | Not classified according to GHS |
| - Carcinogenicity    | Not classified according to GHS |
| - Other              | Not Available                   |

The following shows the information for each component

- a. Vinyl chloride • vinyl acetate copolymer :
  - Unknown, but there are no cases which indicate harmful effect.
- b. Vinyl acetate :
  - Skin sensitization : The positive reaction was observed in 6 guinea pigs out of 20 in the Buehler skin sensitization test using guinea pig. <sup>3)</sup> Based on this result, it is classified as “Category 1” according to GHS.
  - Carcinogenicity : Based on the classification of A3 by ACGIH <sup>4)</sup> and Group 2B by IARC <sup>5)</sup>, it is classified as “Category 2” according to GHS.

---

## 12. Ecological information

Decomposability:	Unknown
Accumulativeness:	Unknown

Toxicity to fish:       Unknown

---

### **13. Disposal Considerations**

Incinerate by incinerators with exhaust gas treatment facilities, or landfill as non-dangerous waste.

---

### **14. Transport Information**

Avoid damage to containers and collapse of cargo.  
UN Number:   Not classified as dangerous material.

---

### **15. Regulatory Information**

Please consult the regulations of the importing country.  
If you have questions, please contact us.

---

### **16. Other Information**

- 1) Plastics Data Handbook  
    Edited by Kimimasa Itoh, Kogyo Chosakai Publishing Co., Ltd. (1980), Page 116.
- 2) Same as above, Page 110.

The contents herein are based on documents, information and data available at the time of press. However, no guarantee is extended as to the physical / chemical characteristics and dangerousness. Cautions are meant for normal conditions of handling. Appropriate safety measures must be taken for each special conditions of handling.

---