

Reference Number: G-01E Page: 1/7 Issuing Date: June 1, 2006 Revision date: April 1, 2022

# SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	PRICTMER GX
Reference Number:	G-01E
Company Name:	KANEKA CORPORATION
Address:	2-3-18, Nakanoshima, Kita-ku, Osaka, Japan
Responsible Division:	Vinyls and Chlor-Alkali Solutions Vehicle
	R&B·Technology team, Technology group
Responsible Person:	Technology team leader
Phone Number:	+81-6-6226-5356
Fax Number:	+81-6-6226-5345
Latest SDS URL	https://www.pvc.kaneka.co.jp/en/index.html
E-mail:	kasei-hinshitsu@kaneka.co.jp
Emergency access:	KANEKA CORPORATION
	Specialty PVC Global Marketing Team
Phone number:	+81-3-5574-8020

### 2. HAZARDS IDENTIFICATION

GHS Classification Classification not possible or Not applicable

Label Element	
Pictograms:	Not applicable
Signal Words:	Not applicable
Hazard Statements:	Not applicable
Precautionary Statements:	Not applicable

Summary of Important Symptoms and Potential Emergencies:

Respiratory irritation from inhalation and mild respiratory injury from prolonged or repeated exposure is possible.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Distinction of Substance / Mixture:SubstanceChemical Name or Common Name:2-Propenoic acid, butyl ester, polymer



Reference Number: G-01E Page: 2/7

with Chloroethene

Synonym:

Butyl acrylate grafted Polyvinyl chloride

copolymer

Chemical Formula:

Trade secret,

Composition and Concentration or Concentration Range

Chemical name	Concentration		f government in Japan	CAS No.
or common name	range	CSCL	ISHL	
Vinyl chloride-	99% or more	(6)-85	Existing	25702-34-5
vinyl acetate			substance	
copolymer				
Polymeric	1% or less	Confidential	Confidential	Confidential
additives				
(residues)				

Impurities and stabilizing additives contributed to GHS Classifications:

Nothing special.

### 4. FIRST AID MEASURES

If Inhaled:	Remove person to fresh air and keep comfortable for	
	breathing. When you feel unwell, call a doctor and get	
	medical attention if necessary.	
If on Skin:	Wash with plenty of water and soap.	
	Get medical attention if necessary.	
If in Eyes:	Wash eyes immediately with clear water for more than 15	
	minutes. Get medical attention if necessary.	
If Swallowed:	If swallowing in large quantities, rinse your mouth with water	
	and ask a doctor for treatment.	
The Acute and Delayed Effects and Main Symptoms:		
	Respiratory irritation from inhalation and mild respiratory	
	injury from prolonged or repeated exposure is possible.	
Advice to Protect the Rescuers:		
	Rescuers need to wear suitable protective equipment, such as	
	protective gloves and protective glasses.	
Note to Physician:		
	Nothing special	



Reference Number: G-01E Page: 3/7

	0	
Suitable Extinguishing Media:	Water, dry chemical powder, foam.	
Unsuitable Extinguishing Media:	Nothing special	
Special Hazards and Risks:	Combustion produces irritating hydrogen chloride gas.	
Specific Fire Fighting Method:	Isolation the site and prohibit the unnecessary	
	person to access. Fight fire from upwind side.	
Fire Fighting Notes and Protective Measures:		
	Fire-fighting personnel must wear protective	

equipment (heat-resistant gloves, protective goggles, air respirator, etc.) according to the situation. Wear respiratory protection since combustion produces toxic gas (hydrogen chloride).

#### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Evacuate immediate area. Keep unnecessary personnel away.

Work from upwind and evacuate people downwind. Wear protective

gloves, protective glasses and dust masks to avoid inhaling dust.

**Environmental Precautions:** 

Do not allow the product to enter rivers, or any body of water. Avoid impact on the environment.

Methods and Materials for Containment and Cleaning Up:

Collect scattered spills into empty containers for recovery. Remove

by vacuum suction and other methods that do not scatter dust.

Prevention Measures for Secondary Disaster:

Nothing special.

#### 7. HANDLING AND STORAGE

#### HANDLING

Technical Measures: Handle in areas with well ventilation. Wear appropriate protective equipment (protective gloves, protective glasses, protective masks, etc.).

Keep away from fire. Ground the device, equipment, etc. to prevent static electricity.

Provide local exhaust and general ventilation.

Precautions for Safe Handling:

Avoid dust during processing. Avoid inhaling dust.



Reference Number: G-01E Page: 4/7

Contact Avoidance: Refer to "10. STABILITY AND REACTIVITY"

Hygiene Measures: Do not eat, drink or smoke when using this product. Provide safety shower and hands/eye wash station identified clearly at rest area. Wash hands, eyes and mouth thoroughly after handling.

#### STORAGE

Safety Storage Conditions:

Store in a cool, ventilated place. Avoid direct sunlight.

Safe Container and Packing Material:

Paper bags, flexible containers, silos.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Permissible Concentration, etc.

Controlled Concentration: Not applicable

Permissible Concentration:

JSOH (2021):

3rd class dust: 2mg/m<sup>3</sup>(Inhalation dust), 8mg/m<sup>3</sup>(Total dust)

ACGIH (2017):

TWA 1mg/m<sup>3</sup> (Polyvinyl chloride Respirable Fraction)

Measures for Facilities:Use local mechanical ventilation in work areas where dust is generated. Provide safety shower and hands/eye wash station identified clearly near work area.

#### PERSONAL PROTECTIVE EQUIPMENT:

<b>Respiratory Protection:</b>	Dust mask
Hand Protection:	Rubber gloves
Eye/Face Protection:	Protective glasses and goggles
Skin and Body Protection:	Protective clothing with long sleeves
Special Precautions: Nothing special	

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid (powder)
Color:	White
Odor:	Odorless
Melting Point/Freezing Point:	No data
Boiling Point, Initial Boiling Point	nt and Boiling Range: No data
Combustibility:	Self-extinguishing resin with oxygen index of
	approx $45.^{2}$
<b>TT T T T T T</b>	

Upper/Lower Flammability or Explosive Limits: No data

## Product Dame: **PRICTMER GX**



#### Reference Number: G-01E Page: 5/7

	1
Flash Point:	391°C <sup>1)</sup>
Auto-ignition Temperature:	454°C <sup>1)</sup>
Decomposition Temperature:	No data
pH:	No data
Kinematic Viscosity:	Not applicable
Solubility:	Not soluble in water
Partition Coefficient (n-Octanol/W	Vater) (log Pow): No data
Vapor Pressure:	No data
Density and/or Relative Density:	True specific gravity 1.3(20°C)
Relative Vapour Density:	Not applicable
Particle characteristics:	Several µm~Several 100µm (particle size)

## **10. STABILITY AND REACTIVITY**

Reactivity:	Stable under normal use conditions.	
Chemical Stability:	Stable under normal use conditions.	
Possibility of Hazardous Reactions: Stable under normal use conditions.		
Condition to Avoid:	Keep away from fire.	
Incompatible Materials:	Contact with fluoride can cause violent reactions.	
	Sulfuric acid, nitric acid, hydrochloric acid	
Hazardous Decomposition Products:Combustion produces irritating hydrogen		
chloride gas.		

### **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity (Oral):ClassAcute Toxicity (Dermal):ClassAcute Toxicity (Inhalation: gas):NotAcute Toxicity (Inhalation: vapour):NotAcute Toxicity (Inhalation: dust):ClassSkin Corrosion/Irritation:ClassSerious Eye Damage/Irritation:ClassGerm Cell Mutagenicity:ClassCarcinogenicity:ClassReproductive Toxicity:ClassSpecific Target Organ Toxicity (Single Exposure)Class

Classification not possible Classification not possible Not applicable Classification not possible Classification not possible

Specific Target Organ Toxicity (Single Exposure): Classification not possible Specific Target Organ Toxicity (Repeated Exposure): Classification not possible



Reference Number: G-01E Page: 6/7

Aspiration Hazards:

Classification not possible

## **12. ECOLOGICAL INFORMATION**

**Ecological Toxicity:** 

Hazards to aquatic environment - Short-term (acute): No data		
Hazards to aquatic environment - Long-term (chronic): No data		
No data		
No data		
No data		
No data		

### **13. DISPOSAL CONSIDERLATIONS**

Dispose of in accordance with the waste disposal and cleaning law.

If wastes disposal is outsourced, dispose of properly via a licensed industrial waste disposal contractor.

### **14. TRANSPORT INFORMATION**

International Regulations	
UN No.:	Not applicable
UN Proper Shipping Name:	Not applicable
Hazard Class:	Not applicable
Packing Group:	Not applicable
Marine Pollutant (Yes/No)	No
Japan Domestic Regulation	Nothing special
Specific Safety Measure and Condition of	Transport:
Avoid direct sunlight, damage to	containers, corrosion and leakage. Prevent
the goods from collapsing.	
Emergency Response Guide Number:	Not applicable

### **15. REGULATORY INFORMATION**

Please consult the regulations of the importing country. If you have questions, please contact us.

Japan Domestic Regulation

CSCL:



## Product Dame: PRICTMER GX

PORATION	Reference Number: G-01E
FORAHON	Page: 7/7
PRTR:	Not designated chemical substance
ISHL:	Not labeling/notification obligations substance
Waste Management and Public Cleansing I	Law: Industrial waste
Fire Services Act	Non dangerous substance
PDSCL	Not poisonous or deleterious substances
Ship Safety Act	Not dangerous substance

### **16. OTHER INFORMATION**

#### References:

 Plastics Data Handbook Edited by Kimimasa Itoh, Kogyo Chosakai Publishing Co., Ltd. (1980), P116

2)Same as above, P110

## Disclaimer:

The contents herein are based on documents, information and data available at the time of press. However, no guarantee is extended as to the physical / chemical characteristics and dangerousness.

Cautions are meant for normal conditions of handling. Appropriate safety measures must be taken for each special conditions of handling.